

INDEX MAPS.

T. 6 N. R. 8 E. 2nd Mer.

	6		6		6		5		5			
		7		7		7		7		8		
10	6	31	5	30	4	24	3	18	2	14	1	5
	31		30		25		24		17		14	
10	7	30	8	25	9	23	10	17	11	14	12	4
	29		29		25		23		17		13	
9	18	29	17	24	16	23	15	16	14	13	13	4
	28		28		22		20		16		12	
9	19	28	20	22	21	20	22	16	23	12	24	3
	27		27		21		19		15		12	
8	30	27	29	21	28	19	27	15	26	11	25	3
	26		26		21		19		15		11	
8	31	26	32	20	33	18	34	14	35	11	36	2
	2		2		1		1		1		1	

T. 7 N. R. 8 E. 2nd Mer.

	40	40	40	39	39	38						
43	6	64	5	58	4	54	3	51	2	47	1	38
	63		54		58		54		50		46	
42	7	63	8	58	9	54	10	50	11	46	12	37
	62		62		57		53		50		46	
42	18	62	17	57	16	53	15	49	14	45	13	37
	61		61		57		53		49		45	
41	19	61	20	56	21	52	22	49	23	45	24	36
	60		60		56		52		48		44	
41	30	60	29	55	28	52	27	48	26	44	25	36
	59		59		55		51		48		44	
41	31	59	32	55	33	51	34	47	35	43	36	35
	34		33		33		33		33		33	
		34		34		35		35		35		35

The figures on the lines refer to the page.

33

Township N.^o 7 North, Range N.^o 8 East 2.^d Mer. Ind.^a
chs. lth.

South Boundary

West On Rand^m S. boundary of Sec. 36 (S 89 1/2° W)

40.00 At temp^y. q^r. Sec. post

80.00 At temp^y. Cor. to Sec. 35 & 36

Land level timber Beech &c

West On Rand^m S. boundary of Sec. 35

13.70 a Brook 3 lth. wide Course S.

22.70 a do 10 " " " N 80 E

27.50 a do 20 " " " S. 4° W.

40.00 At temp^y. q^r. Sec. post

62.40 a Brook 20 lth. wide Course S 15 E

75.50 a Creek 100 " " " S 75 E

80.00 At temp^y. Cor. to Sec. 34 & 35

Land waving, timber Beech, Sugar Oak
Alder, Poplar &c. Nov. 8. 1886

West On Rand^m S. boundary of Sec. 34

30.40 a Brook 8 lth. wide Course N. E.

40.00 At temp^y. q^r. Sec. post

40.20 a Brook 5 lth. wide Course S. E.

80.00 At temp^y. Cor. to Sec. 33 & 34

Land waving, timber Beech, Gum, Oak &c.

West On Rand^m S. boundary of Sec. 33

16.10 a Brook 10 lth. wide Course S. W.

29.50 a do 6 " " " S.

40.00 At temp^y. q^r. Sec. post

40.30 a Brook 4 lth. wide Course S. E.

80.00 At temp^y. Cor. to Sec. 32 & 33

Land waving, timber Oak, Hick^y. ash, Beech &c.

West On Rand^m S. boundary of Sec. 32

8.60 a Brook 6 lth. wide Course N. W.

11.80 a do 6 " " " N. W.

40.00 At temp^y. q^r. Sec. post

Tpt P86.2nd Mer. Indianach²th₂44.75 a Brook 8th. wide Course S.

55.40 a do. 8 " " " S.

63.00 a do. 6 " " " S.

71.50 a do. 10 " " " S.

76.70 a do. 4 " " " S.

80.00 Set temp^y. Cor. to Sec^s. 31 & 32

Land &c. Same as on last mile

West On Rand^m. S. boundary of Sec 3110.18 a Brook 4th. wide Course S.W.

11.60 a do. 6 " " " S.

72.70 a do 8 " " " N 80 W

73.15 Intersected the N. boundary 106th. S. of post
Cor. to Town 6 of N. Range 7 of 8 E.
Waringland, timber Oak, Hickory, Beech, ash &c

East On true line S. boundary of Sec. 31

13.16 a Beech 13th. in. dist.

33.15 Set of Sec. post, from which

a Beech 17th. in. dist. N 41 E 19th. dist.

a do. 13 " " " N 89 W 45 " "

73.15 Set post Cor. to Sec^s. 31 & 32, from whicha Beech 15th. in. dist. N 59 W 21th. dist.

a do. 11 " " " N 59 E 11 " "

East On true line S. boundary of Sec. 32

21.00 a B. Oak 36th. in. dist.

40.00 Set of Sec. post, from which

a Sugar 14th. in. dist. N 71 1/2 W 40th. dist.

a do. 15 " " " N 59 E 48 " "

80.00 Set post Cor. to Sec^s. 32 & 33, from whicha Hickory 20th. in. dist. N 59 W 7th. dist.

a B. Oak 24 " " " N 62 E 30 " "

East On true line S. boundary of Sec. 33

40.00 Set of Sec. post, from which

35

Tyler R & E. 2nd Mer. Indiana

ch. 1st 1/4

a W. Oak 16 in. dia. - bran N 53 E 23 1/2 km. dist. of
 a Hickory 13 " " " N 38 W 7 " "
 60.10 a Poplar 40 " "
 80.00 Set post Cor. to Sec. 33 & 34, from which
 a Poplar 42 in. dia. - bran N 36 E 10 1/2 km. dist. of
 a Sugar 12 " " " N 31 W 26 " "

East On true line S. boundary of Sec. 34
 20.40 a Sweet Gum 18 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 9 in. dia. - bran N 47 E 11 1/2 km. dist. of
 a Do. 16 " " " N 9 W 31 " "
 80.00 Set post Cor. to Sec. 34 & 35, from which
 a Maple 13 in. dia. - bran N 17 E 16 1/2 km. dist. of
 a Beech 5 " " " N 67 W 7 " "

East On true line S. boundary of Sec. 35
 40.00 Set q. Sec. post, from which
 a Beech 28 in. dia. - bran N 61 W 2 km. dist. of
 a Do. 18 " " " N 28 W 6 " "
 80.00 Set post Cor. to Sec. 35 & 36, from which
 a Beech 20 in. dia. - bran N 60 E 16 km. dist. of
 a Do. 18 " " " N 61 W 20 " "

East On true line S. boundary of Sec. 36
 36.25 a W. Oak 36 in. dia.
 40.00 Set q. Sec. post, from which
 a W. Oak 60 in. dia. - bran N 55 E 16 km. dist. of
 a Beech 8 " " " N 16 1/2 E 19 " "
 56.03 a Do. 36 " "
 63.08 a W. Oak 40 " "
 80.00 to the Town Corner. November 9th 1876

East Boundary. var. 5° 30' E.

North On E. boundary of Sec. 36
 11.90 a B. Gum 32 in. dia.

36 T. A. R. & E. 2^d Mer. Indiana

- ch. P. 1st
 28.08 a B. Oak 36 in. dia.
 40.00 Let gr. Sec. post, from which
 a Beech 10 in. dia. (bray N 10 E 28 lns. dist. of
 a do. 13 " " " S 21 W 21 " "
 61.27 a S. Gum 15 " "
 80.00 Let post cor. to Sect. 25 of 36, from which
 a Beech 15 in. dia. (bray S 33 W 25 lns. dist. of
 a do. 20 " " " N 51 E 18 " "
 Sand flat, timber Beech, Oak, Poplar &c
 a water course 4 lns. wide (runs N. W.)

North On E. boundary of Sec. 25

- 9.70 a Brook 6 lns. wide Course W.
 11.00 a Beech 32 in. dia.
 24.38 a do. 18 " "
 35.75 a Brook 4 lns. wide Course W.
 38.50 a do 6 " " " W.
 40.00 Let gr. Sec. post, from which
 a Beech 18 in. dia. (bray N 34 W 20 lns. dist. of
 a do. 18 " " " S 34 E 18 " "
 49.75 a Poplar 48 " "
 63.30 a Brook 12 lns. wide Course S. W.
 80.00 Let post Cor. to Sect. 24 & 25, from which
 a Beech 17 in. dia. (bray S 49 E 15 lns. dist. of
 a do. 10 " " " N 41 W 11 " "
 Sand flat, timber Beech, some Poplar, Gum &c.

North On E. boundary of Sec. 24

- 3.45 a Beech 24 in. dia.
 8.60 a Brook 5 lns. wide Course W.
 22.50 a do 6 " " " S. W.
 40.00 Let gr. Sec. post, from which
 a Beech 10 in. dia. (bray N 30 W 15 lns. dist. of
 a Sugar 14 " " " S 19 W 19 " "
 47.25 a Creek 100 lns. wide Course S. 80 W
 57.10 a Brook 5 " " " S. E.

S. N. P. & E. 2^d. Mer. Indiana

37

ch. l. l. l.

73.52 a Brook 4 lrs. wide Course W.

74.20 a Beech 18 in. dia.

80.00 Set post cor. to Sec. 13 of 24, from which
a Beech 40 in. dia. bray N 15° W 12 lrs. dist. of
a dlo. 10 " " " S 36° E 16 " "

Land first 30 ch. flat - remainder varying timber
Beech, Sugar, Oak, Poplar &c.

North On E. boundary of Sec. 13

12.40 a Brook 4 lrs. wide Course S. W.

16.53 a Beech 18 in. dia.

32.50 a Brook 6 lrs. wide Course S. W.

40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bray N 79° E 12 lrs. dist. of
a dlo. 16 " " " S 66° W 11 " "

46.66 a Beech 12 " "

55.79 a dlo 24 " "

57.75 a Brook 6 lrs. wide Course W.

59.92 a Beech 24 in. dia.

70.00 Kirby's trace from Cincinnati to Vincennes

73.23 a Brook 6 lrs. wide Course W.

80.00 Set post cor. to Sec. 12 of 13, from which
a Beech 10 in. dia. bray N 85° E 26 lrs. dist. of
a dlo. 9 " " " S 87° W 17 " "

Land level, timber Beech, some Poplar
Oak, Hickory, Sugar &c.

North On E. boundary of Sec. 12

3.95 a Brook 4 lrs. wide Course W.

4.13 a P. Gum 24 in. dia.

29.05 a Beech 16 " "

33.50 a Brook 8 lrs. wide Course W.

40.00 Set of. Sec. post, from which
a Beech 24 in. dia. bray N 83° E 10 lrs. dist. of
a dlo. 10 " " " S 60° W 10 " "

57.47 a Brook 8 lrs. wide Course S. W.

Ty N 8 E. 2^d. Mer Indiana

ch. P. 1st
 80.00 Set post Cor. to Sec. 1 & 12, from which
 a Beech 11 in. dia. - bran N 5th W 14th dist. of
 a Do. 10 " " " N 1 E 14 " "
 Land level, timber Beech, Hickory, Maple
 Oak, poplar &c.

North On E. boundary of Sec. 1

15.34 an Elm 16 in. dia.

31.40 a Brook 6th wide Course W.

34.00 a Do. 10 " " " W.

40.00 Set of Sec. post, from which
 a Beech 20 in. dia. - bran N 28th E 17th dist. of
 a Do. 11 " " " N 82th W 25 " "

44.83 a Do. 16 " "

48.10 a Brook 10th wide Course S. W.

65.40 a Beech 11 in. dia.

75.55 a W. Oak 48 "

80.00 Set post Cor. to Township 7 & 8 North, of
 Range 8 & 9 E, from which
 a Beech 30 in. dia. - bran N 65th W 6th dist. of
 a Do. 14 " " " N 38th E 22 " "
 Land flat, timber Beech, Oak, Hickory, Gum
 Maple &c. Nov. 10th. 1886

North Boundary

Nest (or S 89th W) On S. boundary of Sec. 36, T 8 N, R 8 E.

6.12 a Beech 44 in. dia.

18.75 a Do. 18 " "

40.00 Set of Sec. post, from which
 a Poplar 60 in. dia. - bran S 23th E 25th dist. of
 a Beech 16 in. " " " N 14th W 14 " "

46.10 a Brook 15th wide Course N 85th W

50.20 a Spring rises 10th S. of line, runs N.

51.50 a Do Do 10th S. of " " N.

54.00 a Creek 50th wide Course S. W.

75.00 Same Creek runs with the line 350th, where

39

T8 N. R8 E. 2ⁿ. Mer. Indiana

ch. lth

it leaves a little S. of the line
 80.00 At post Cor. to Sec. 35 & 36, from which
 a Beech 20 in. dia. bray N 13 W. dist. of
 a do. 24 " " " N 4 E 25 "
 Land waving, timber Beech, Oak, Sugar,
 Ash, Poplar &c.

Met On S. boundary of Sec. 35, T8 N. R8 E.

5.50 Same brook, line runs with it 500 lth. then S. W.

40.00 At q. Sec. post, from which
 a Beech 6 in. dia. bray N 49 W 25 lth. dist. of
 a do 6 " " " N 44 E 20 " "

42.95 a do. 18 " "

46.00 a Creek 120 lth. wide Course S.

56.66 a P. Gum 36 in. dia.

74.50 a Brook 4 lth. wide Course S.

75.34 a Beech 32 in. dia.

80.00 At post Cor. to Sec. 34 & 35, T8 N. R8 E, from which
 a Sugar 13 in. dia. bray S 56 W 10 lth. dist. of
 a do. 13 " " " S 76 E 19 " "
 Land waving, timber, Beech, Sugar, Oak, Ash &c

Met On S. boundary of Sec. 34, T8 N. R8 E.

5.00 a Brook 6 lth. wide Course S.

7.30 a Beech 24 in. dia.

12.25 a Creek 120 lth. wide Cr. N 60 W. (Same as in last 1/2 mile crossed)

26.00 Same Creek, line runs down it, touch the N.
 bank as it passes, 12.50 lth. Comes out on S.
 side where it runs N 80 W.

40.00 At q. Sec. post, from which
 a P. Oak 17 in. dia. bray N 72 W 23 lth. dist. of
 a Sugar 8 " " " N 63 E 18 " "

42.50 a Beech 30 " "

51.50 Same Creek runs S. (good stream for Mills)

67.17 a Beech 20 in. dia.

73.25 a Brook 6 lth. wide Course S. E.

T^h N. R⁸ E. 2^d. Mer. Indiana

ch² lth
 80.00 At post Cor. to Sec^s 33 & 34, T^h N. R⁸ E., from which
 a P. Walnut 30 m. dia. bray N 15 E 18 lth. dist. of
 a Beech 7 " " " S 50 E 20 "
 Sand waving, timber Beech, Oak, Poplar
 ash &c.

West On S. boundary of Sec 33, T^h N. R⁸ E.

31.50 a Brook 6 lth. wide Course S. W.

40.00 At gr. Sec. post, from which
 a Beech 6 m. dia. bray N 41 E 31 lth. dist. of
 a Do. 6 " " " S 31 W 19 " "

47.50 a Brook 10 lth. wide runs with the line

54.25 leave it runs N. W.

60.70 a Creek 30 lth. wide Course S. W.

80.00 At post Cor. to Sec^s 32 & 33, T^h N. R⁸ E., from which
 a Sugar 13 m. dia. bray N 28 E 34 lth. dist. of
 a Beech 5 " " " S 51 W 11 " "
 Sand waving, Beech, Sugar, Oak, ash &c.

West On S. boundary of Sec. 32, T^h N. R⁸ E

+ 12.67 Intersected the boundary, At post, from which
 a Beech 32 m. dia. bray N 66 E 22 lth. dist. of
 a Do 5 " " " S 35 W 7 " "

Surveyed November 11th 1806, By

John Brownson L. S.

Continued from the Indian boundary

40.69 (whole length) At gr. Sec. post, from which
 a Beech 30 m. dia. bray N 66 E 32 lth. dist. of
 a Sugar 12 " " " S 32 W 25 " "

43.69 a Branch 8 lth. wide Course S.

80.00 At post Cor. to Sec^s 31 & 32, from which
 a Beech 30 m. dia. bray N 58 W 40 lth. dist. of
 a Do. 6 " " " S 69 E 7 " "
 Broken land good soil, Beech Poplar &c.

West On S. boundary of Sec. 31, T^h N. R⁸ E.

41

Ty N. R 8 E. 2^d Mer. Indiana

ch. 2^d 40.00 Set q. Sec. post, from which
 a Beech 20 m. diam. bear N 62° W 25 km. dist. of
 a do. 12 " " " 167 E 24 " "
 75.25 Intersected the Town Corner.
 June 3^d 1819. — John McDonald, D.S.

West Boundary var. 5.50' E.
 North On E. boundary of Sec. 36, Ty N. R 7 E.
 8.00 a Brook 3 km. wide Course N.
 31.00 a do. 3 " " " N.
 40.00 Set q. Sec. post, from which
 a W. Oak 24 m. diam. bear N 45° W 25 km. dist. of
 a Beech 12 " " " S 72 E 14 " "
 42.50 a Brook 20 km. wide Course S. N.
 52.00 a do. 3 " " " E.
 55.00 a Beech 24 m. diam.
 80.00 Set post Cor. to Sec. 25 of 36, Ty N. R 7 E. from which
 a Poplar 36 m. diam. bear N 12° W 8 km. dist. of
 a Beech 16 " " " S 11 E 29 " "
 Good land, timber Beech, Poplar, Oak &c.

North On E. boundary of Sec. 25 Ty N. R 7 E.
 27.20 a Beech 15 m. diam.
 40.00 Set q. Sec. post, from which
 a Sugar 12 m. diam. bear S 53° W 26 km. dist. of
 a Beech 16 " " " S 63 E 28 " "
 65.50 a Brook 4 km. wide Course N.
 77.50 a W. Oak 15 m. diam.
 80.00 Set post Cor. to Sec. 24 of 25, Ty N. R 7 E. from which
 a Beech 8 m. diam. bear N 42° W 4 km. dist. of
 a W. Oak 12 " " " S 30 E 20 " "
 Good land, timber Beech, Poplar Oak &c.

North On E. boundary of Sec. 24, Ty N. R 7 E.
 6.50 a Brook 6 km. wide Course N.
 16.20 a Sugar 16 m. diam.

T^y N. R8 E. 2^d. Mer. Indianach. 2th

- 30.50 a Brook 3^lh. wide Course W.
 34.50 a do 5 " " " W.
 40.00 Set of Sec. post, from which
 a Beech 12 m. dia. bran N 86° 16' E 15^lh. dist. of
 a Sugar 12 " " " S 70° E 15 " "
 67.00 a Brook 10^lh. wide Course W.
 70.00 a Creek 40^lh. " " S. W.
 75.60 a P. Oak 40 m. dia.
 80.00 Set post Cor. to Sec. 13 of 24, from which
 an Elm 14 m. dia. bran N 22° E 6^lh. dist. of
 a Beech 6 " " " S 2° E 16 " "
 Land Good, timber Beech, Sugar, Elm &c.

North On E. boundary of Sec. 13, T^y N. R7 E.

- 40.00 Set of Sec. post, from which
 a Sugar 12 m. dia. bran S 39° 11' 20^lh. dist. of
 a Walnut 12 " " " N 16° E 27 " "
 61.00 a Brook 3^lh. wide Course S. W.
 80.00 Set post Cor. to Sec. 12 of 13, T^y N. R7 E. from which
 a W. Oak 36 m. dia. bran S 56° 11' 12^lh. dist. of
 a Beech 12 " " " S 53° E 10 " "
 Land rich, timber Beech, Oak, Sugar &c

North On E. boundary of Sec. 12, T^y N. R7 E.

- * 24.30 a Beech 15 m. dia.
 24.50 a Brook 3^lh. wide Course N. W.
 40.00 Set of Sec. post, from which
 a Beech 16 m. dia. bran N 7° E 15^lh. dist. of
 a do. 6 " " " S 2° W 19 " "
 53.50 a Poplar 36 " "
 62.00 a Brook 5^lh. wide Course W.
 67.00 Intersected Indian boundary Set post, from which
 a Beech 8 m. dia. bran S 47° W 3^lh. dist. of
 a do. 15 " " " N 42° E 8 " "
 Level land timber Beech Oak &c.
 October 2^d 1806. Alex. A. Holmes, d. S.

Ty. N. R. 8 E. 2^d. Mer. Indiana

43

ch. lth

80.00 At post cor. to Sec. 1 & 12, Ty. N. R. 7 E, from which
a Beech 9 mi. dir. bear S 81° W 16 lth. dist. of
a dogw. 6 " " " N 54 E 14 " "
Broken land, timber Beech &c.

North On E. boundary of Sec. 1, Ty. N. R. 7 E.

11.00 a Branch 4 lth. wide Course N. W.

12.00 a Creek 20 lth. " " S W.

30.00 left same Creek coming from N. W.

40.00 At q. Sec. post, from which

a Beech 20 mi. dir. bear S 42° W 15 lth. dist. of

a Sugar 6 " " " S 28 E 21 " "

53.50 a Creek 20 lth. wide Course S. W.

80.00 At post cor. to Townships 7 & 8 North, Ranges
7 & 8 East from which

a Sugar 14 mi. dir. bear N 51° W 21 lth. dist. of

a Beech 21 " " " S 71 E 44 " "

(Description of land &c. Omitted)

June 3rd 1819

Surveyed By John McDonald

Deputy Surveyor Com.

Subdivision, Dec. 25th 1806

North Between Sec. 35 & 36, Ty. N. R. 8 E.

20.09 a Beech 8 mi. dir.

30.00 a Small brook Course N. W.

40.00 At q. Sec. post, from which

a Beech 18 mi. dir. bear S 65° W 24 lth. dist. of

a do. 15 " " " S 82 E 5 " "

63.01 a do. 10 " "

80.00 At post cor. to Sec. 25, 26, 35 & 36, from which

a Beech 27 mi. dir. bear S 32 E 11 lth. dist. of

a do. 8 " " " S 71° W 36 lth. " "

Sand rolling, timber Beech, Poplar, Ash,
Sugar, Oak &c. Midding farming land

T. N. P & E. 2^d. Mer. Indiana

ch. 1/2

East On Rand^m. between Sec^s. 25 & 3640.00 At temp^y. of Sec. post79.63 Intersected E. boundary 65 lns. S. of post
Rolling land, timber same (not good farming
thick undergth. of Hogwood, Sassafras, Spice
and greenbrier.West On true line between Sec^s. 25 & 3639.81 At of Sec. post at average dist. from which
a Beech 20 m. dist. bear N 46° 12 lns. dist. of
a Do. 10 " " " S 20° E 9 " "

79.63 to Sec. Corner

North Between Sec^s. 25 & 26

2.00 a Brook 10 lns. wide Course W.

24.25 a Beech 7 m. dist.

40.00 At of Sec. post, from which
a Beech 8 m. dist. bear N 79° E 19 lns. dist. of
a Do. 10 " " " S 85° W 28 " "

59.00 a Brook 8 lns. wide Course W.

61.93 a Beech 12 m. dist.

72.00 a Brook 10 lns. wide Course W.

80.00 At post Cor. to Sec^s. 23, 24, 25 & 26, from which
a Beech 9 m. dist. bear N 60° W 19 lns. dist. of
a Do. 30 " " " S 37° W 28 " "Land Broken & hilly, timber same - poor
farming landEast On Rand^m. between Sec^s. 24 & 2540.00 At temp^y. of Sec. post80.09 Intersected E. boundary 14 lns. N. of post
The first 1/2 mile land & timber same - the last
level, timber Beech, Maple, Gum, Poplar &c
undergth. Spice & greenbrier, poor farming landWest On true line between Sec^s. 24 & 25

Sy N R & E. 2nd Mer. Indiana

45

ch² lth

40.04 1/2 Set q^r. Sec. post at average dist. from which
a Beech 9 mi. dia^r. bear S 14 1/2 W 8 lth. dist. of
a do 13 " " " N 33 E 19 " "
80.09 to Sec. Corner.

North Between Sec^s. 23 & 24

20.50 a Creek 100 lth. wide Comes N.

26.34 a Beech 11 mi. dia^r.

40.00 Set q^r. Sec. post, from which
a Ladsapra 5 mi. dia^r. bear S 1 E 2 lth. dist. of
a do. 5 " " " N 31 W 9 " "

47.50 a small brook Comes E.

57.00 a do. do " E.

61.04 a Hickory 11 mi. dia^r.

80.00 A post Cor. to Sec^s. 13, 14, 23 & 24, which is
a Beech 18 mi. dia^r. (Marked for corner.
Land rolling, timber Beech, Sugar, Poplar,
&c.. The first 1/2 mile good farming land

East On Land^m. between Sec^s. 13 & 24

15.00 a Brook 15 lth. wide Comes SE.

40.00 Set temp^y. q^r. Sec. post of

80.79 intersected E. boundary 52 lth. N. of post
Land rolling, timber Beech &c
good farming land

West On true line between Sec^s. 13 & 24

40.39 Set q^r. Sec. post at average dist. from which
a Beech 14 mi. dia^r. bear S 82 1/2 W 21 lth. dist. of
a do. 12 " " " S 26 E 14 " "

80.79 to Sec. Corner December 26. 1806

North Between Sec^s. 13 & 14

15.79 a B. Oak 48 mi. dia^r.

40.00 Set q^r. Sec. post, from which
a Beech 12 mi. dia^r. bear S 47 1/2 W 19 lth. dist. of

S 9 N R 8 E 2^d. Mer. Indiana ⁴⁷
ch² lth Land level, timber same, undngth Spruce
& Greenbrier, (Middle farming farming land)

West On true line between Sec. 1 & 2
40.84 Set of Sec. post, from which
a Beech 18 in. dia. bray N 27 E 3 lth. dist. of
a do. 9 " " " 150 E 28 " "
81.69 to Sec. Corner.

North Between Sec. 1 & 2
61.21 a P. Gum 30 in. diam.
36.50 a Small brook Course N.
40.00 Set of Sec. post at Beech 8 from which
a Beech 8 in. dia. bray N 88 E 21 lth. dist. of
a do. 20 " " " N 70 W 22 " "
56.69 a do 8 " "
76.00 a Creek 15 lth. wide Course N
78.94 Intersected N. boundary 1.25 lth. N. of post
Set post Cor. to Sec. 1 & 2, from which
a Beech 14 in. dia. bray N 37 E 16 lth. dist. of
a do. 27 " " " N 16 W 28 " "
Land rather rolling 2^d rate, timber Beech,
Sugar, Poplar, Ash &c. undngth Spruce, good
farming land. Dec. 27th 1886

North Between Sec. 34 & 35
00.50 a Creek 100 lth. wide Course S. E.
20.25 a Beech 10 in. dia.
22.00 a Creek 100 lth. wide Course S. W.
40.00 Set of Sec. post, from which
a Beech 7 in. dia. bray N 9 E 20 lth. dist. of
a do. 15 " " " N 37 W 20 " "
55.50 a Creek 100 lth. wide Course S. E.
65.40 a Beech 11 in. dia.
80.00 Set post Cor. to Sec. 26 & 27, 34, 35, from which
a Beech 18 in. dia. bray N 85 E 19 lth. dist. of

Sy N. R & E. 2nd Mer. Indiana

ch. 2nd

a Beech 12 in. diam. brans N 63° W 27 lrs. dist. of
Land rolling, timber Beech, Poplar, Sugar
Ash &c. middlingth. Spruce

East On Randm. between Sec. 26 & 35

40.00 Set temp. q^r. Sec. post

73.00 a Creek 10 lrs. wide Course N.

79.98 Intersected the N & S. line 8 lrs. S. of post
Land timber &c. same as on last mile

West On true line Between Sec. 26 & 35

39.99 Set q^r. Sec. post at average dist. from which
a Beech 12 in. diam. brans N 50° E 17 lrs. dist. of
an Elm 15 " " " N 45° W 10 " "

79.98 to Sec. Corner.

North Between Sec. 26 & 27, Sy N. R & E

20.00 a Creek 150 lrs. wide Course S. W.

22.29 a W. Oak 18 in. diam.

40.00 Set q^r. Sec. post, from which

a Beech 15 in. diam. brans S 71° E 15 lrs. dist. of

a Do. 8 " " " N 13° W 29 " "

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which

a W. Oak 24 in. diam. brans S 2° E 20 lrs. dist. of

a Beech 5 " " " N 16° E 14 " "

The first 3/4 mile land timber same - the last 3/4
broken, timber Oak & Beech, principally
poor farming land, middlingth. Dogwood

East On Randm. between Sec. 23 & 26

40.00 Set temp. q^r. Sec. post

75.00 a Creek 10 lrs. wide Course South

80.16 Intersected the N & S. line 64 lrs. S. of post

Land rather broken, timber Beech, Poplar,
Ash, Sugar &c. (Middling farming land)

Ty N P & E. 2nd Mer. Indiana

49

ch. lly
West On true line between Sec. 23 & 26
40.08 Set q. Sec. post at average dist. from which
a Beech 14 in. dia. bray N 25 E 9 lrs. dist. of
a Do. 11 " " " N 38 E 32 " "
80.16 to Sec. Corner. December 28th 1876

North Between Sec. 22 & 23
19.09 a Beech 13 in. dia.
40.00 Set q. Sec. post, from which
a Beech 11 in. dia. bray N 70 E 32 lrs. dist. of
a Do. 7 " " " N 68 E 33 " "
62.50 a Poplar 18 " "
80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
an Elm 18 in. dia. bray N 22 W 22 lrs. dist. of
a Beech 14 " " " N 8 W 23 " "
The first 1/2 mile rolling - the last level, timber.
Beech, Poplar, Gum, Oak &c. (not good
farming land)

East On Rand. between Sec. 14 & 23
40.00 Set temp. q. Sec. post
79.11 Intersected the N of S. line 31 lrs. S. of post
Land level timber same, poor farming land

West On true line between Sec. 14 & 23
39.55 Set q. Sec. post at average dist. from which
a Beech 14 in. dia. bray N 31 E 5 lrs. dist. of
a Do. 11 " " " N 43 E 26 " "
79.11 to Sec. Corner.

North Between Sec. 14 & 15
26.50 a Beech 8 in. dia.
40.00 Set q. Sec. post, from which
a Beech 6 in. dia. bray N 28 E 11 lrs. dist. of
a Do. 11 " " " N 11 W 16 " "
61.77 a Sugar 10 " "

Spk-P&E. 2nd Mer. Indiana

ch² 1/2

80.00 Let post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 11 in. dia. beam $\text{S } 25^{\circ} \text{W } 12 \text{ lks. dist. of}$
a Do. 9 " " " $\text{N } 60^{\circ} \text{E } 28 \text{ " "}$
Sand timber &c. Same as on the last mile

East On Rand^m. between Sec. 11 & 14

40.00 Let temp. q^r. Sec. post

78.13 intersected the N & S. line 56 lks. South of
post, Sand timber &c. Same as last mile

West On timber line between Sec. 11 & 14

39.06 Let q^r. Sec. post at average dist. from which
a Beech 18 in. dia. beam $\text{N } 83^{\circ} \text{W } 3 \text{ lks. dist. of}$
a Do. 7 " " " $\text{S } 88^{\circ} \text{E } 15 \text{ " "}$
78.13 to Sec. Corner

North Between Sec. 10 & 11

21.41 a W. Ash 10 in. dia.

25.00 a Brook 12 lks. wide Course West

40.00 Let q^r. Sec. post, from which
a Beech 9 in. dia. beam $\text{S } 51^{\circ} \text{W } 17 \text{ lks. dist. of}$
a Do. 9 " " " $\text{N } 37^{\circ} \text{W } 4 \text{ " "}$

60.17 a Beech 6 " "

80.00 Let post cor. to Sec. 2, 3, 10 & 11, in Creek 150
lks. wide Course N.W., from which
a Spruce 12 in. dia. beam $\text{S } 21^{\circ} \text{W } 46 \text{ lks. dist. of}$
a Sugar 12 " " " $\text{N } 60^{\circ} \text{E } 52 \text{ " "}$
Land rather rolling, timber Beech, Sugar,
Poplar &c. (Middle good farming land)

East On Rand^m. between Sec. 2 & 11

40.00 Let temp. q^r. Sec. post

78.32 intersected the N & S. line 10 3/4 lks. S. of post
Land rolling, timber Beech, Poplar, Sugar &c
underg^g. Spruce, (Middle good farming land)

51

Ty N. R8 E. 2^d Mer. Indiana

ch² 1st 1st
West On true line Between Sec. 1, 2 of 11
39.16 Set q^r. Sec. post at average dist. from which
a Beech 12 in. dia^r. bear S 9 E 33 lth. dist. of
a Do. 12 " " " N 23 E 3 " "
78.32 to Sec. Corner

North Between Sec. 2 of 3, Ty N. R8 E.
23.00 a Creek 120 lth. wide Course S. E.
40.00 Set q^r. Sec. post, from which
a Beech 15 in. dia^r. bear S 4 E 14 lth. dist. of
a Sugar 9 " " " N 84 W 30 " "
54.00 a Creek 100 lth. wide Course S. W.
65.79 a Beech 6 in. dia^r.
79.41 intersected the N. boundary 38 lth. N. of post
Set post cor. to Sec. 2 of 3, from which
a Beech 5 in. dia^r. bear S 61 W 16 lth. dist. of
a Sugar 12 " " " N 47 E 9 " "
Land rolling, timber Beech, Poplar, Sugar,
Se. undergth. Spruce, (Middling good farming land

December 31st 1806.

North Between Sec. 33 of 34, Ty N. R8 E.
27.13 a Beech 8 in. dia^r.
40.00 Set q^r. Sec. post, from which
a Beech 13 in. dia^r. bear S 77 W 30 lth. dist. of
a Do 24 " " " N 77 E 30 " "
65.13 a Beech 24 " "
80.00 Set post cor. to Sec. 27, 28, 33 of 34, from which
a Beech 11 in. dia^r. bear S 47 E 16 lth. dist. of
a Do. — " " " S 72 W 19 " "
Land level, timber Beech, Oak, Hickory, ash
Sugar &c. not much undergrowth, hardly
Middling. farming land.

East On Rand^m. between Sec. 27 of 34
40.00 Set temp^y. q^r. Sec. post

Sy N R & E. 2^d Mer. Indiana

ch. lks

75.00 a Creek 10 lks. wide Course S. W.

80.50 Intersected the N & S. line 8 lks. S. of post
The first 1/2 mile broken, timber same; the
last 1/2 Creek bottom & good farming land

West On true line between Sec. 27 & 34

40.25 Set q. Sec. post at average dist. from which
a Beech 15 mi. dist. by N 59 E 35 lks. dist. of
a Do. 13 " " " S 57 W 16 " "80.50 to Sec. Corner. January 1st 1807

North Between Sec. 27 & 28

40.00 Set q. Sec. post, from which
a Beech 12 mi. dist. by N 79 E 24 lks. dist. of
a Do. 8 " " " " N 77 W 21 " "

62.69 a S. Gum 18 " "

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 12 mi. dist. by N 70 W 26 lks. dist. of
a W. Oak 18 " " " " N 65 E 23 " "Land very level, timber Beech, Oak Gum,
Sycamore &c poor farming land

East On Rand. between Sec. 22 & 27

40.00 Set temp. q. Sec. post

81.05 Intersected the N & S. line 60 lks. S. of post
Land timber &c same, (not much winding)

West On true line between Sec. 22 & 27

40.52 1/2 Set q. Sec. post at average dist. from which
a S. Gum 30 mi. dist. by South 5 lks. dist. of
a W. Oak 30 " " " " N 24 W 28 " "

81.05 to Sec. Corner

North Between Sec. 21 & 22

22.86 a Beech 12 mi. dist.

40.00 Set q. Sec. post, from which

53

Tyt R & E. 2^d. Mer. Indiana

ch^d. lth

a Beech 14 mi. dist. from N 10 E 16 lth. dist. of
 a do. 30 " " " N 42 W 42 " "
 58.58 a do. 16 " "
 80.00 At post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 12 mi. dist. from N 48 E 11 lth. dist. of
 a do. 15 " " " N 64 W 21 " "
 Land & timber same, poor farming land

East On Rand^m. between Sec. 15 & 22

40.00 At temp. q. Sec. post
 81.30 intersected the N & S line 51 lth. S. of post
 Land timber &c. same as last mile

West On timber line between Sec. 15 & 22

40.65 At q. Sec. post at average dist. from which
 a Beech 10 mi. dist. from N 4 W 36 lth. dist. of
 a do. 8 " " " N 20 E 16 " "
 81.30 to Sec. Corner

North Between Sec. 15 & 16

40.00 At q. Sec. post, from which
 a Beech 10 mi. dist. from West 10 lth. dist. of
 a W. Oak 15 " " " N 80 E 30 " "
 63.82 a Poplar 36 " "
 80.00 At post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 10 mi. dist. from N 22 W 22 lth. dist. of
 a do. 13 " " " N 11 W 22 " "
 Land timber &c. same as on the last mile

January 2^d, 1807

East On Rand^m. between Sec. 10 & 15

40.00 At temp. q. Sec. post
 77.00 a small brook comes N. W.
 80.75 intersected the N & S line 60 lth. S. of post
 Land level, timber Beech, Poplar, Sugar
 &c. middling farming land

Sy N P & E. 2nd Mer. Indiana

ch 2nd Mer.

West On true line between Sec. 10 & 15

40.37 Set of Sec. post at average dist. from which
a Sugar 15 in. dia. - bear N 32° W 31 lbr. dist. of
a Beech 14 " " " S 26° E 19 " "
80.75 to Sec. Corner

North Between Sec. 9 & 10

21.63 a Beech 14 in. dia.

40.00 Set of Sec. post, from which
a Poplar 27 in. dia. - bear S 68° W 13 lbr. dist. of
a Do. 27 " " " S 47° E 12 " "

55.50 a Creek 20 lbr. wide course N W.

65.32 a W. Ash 15 in. dia.

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 6 in. dia. - bear S 55° W 15 lbr. dist. of
a Do. 40 " " " " N 49° E 22 " "

The first 1/2 mile level - the last rolling, timber
Beech, Sugar, Poplar, Ash &c., under 1st & 2nd price
good farming land

East On Rand 9th between Sec. 3 & 10

40.00 Set temp. of Sec. post

79.60 Intersected the N & S. line 50 lbr. S. of post
Land rolling, timber Beech, Poplar, Sugar, Ash
&c. Middle of farming land

West On true line between Sec. 3 & 10

39.80 Set of Sec. post at average dist. from which
a Beech 24 in. dia. - bear N 75° W 41 lbr. dist. of
a Do 24 " " " S 61° E 13 " "

79.60 to Sec. Corner

North Between Sec. 3 & 4

24.35 a Beech 16 in. dia.

40.00 Set of Sec. post, from which
a Sugar 18 in. dia. - bear S 72° W 30 lbr. dist. of

55

Ly N. P. & E. 2^d Mer. Indiana
chth

a Beech 6 in. dia. - bear N 84 E 7 lks. dist. of
47.50 a Creek 150 lks. wide Course S. W.
60.84 a Sugar 9 in. dia.
79.67 Intersected the S. boundary 6 lks. N. of post.
Set post Cor. to Sec. 3 & 4, from which
a Beech 8 in. dia. - bear N 58 E 25 lks. dist. of
a Q. Walnut 27 " " " N 34 E 20 " "
The first $\frac{1}{4}$ mile very broken - last $\frac{3}{4}$ rolling
timber Beech, Sugar, Poplar, &c. undergth.
Spruce, Muddling farming land.

January 3^d 1807
North Between Sec. 32 & 33, Ly N. P. & E.
40.00 Set q^r. Sec. post, from which
a Beech 11 in. dia. - bear N 16 E 4 lks. dist. of
a Do. 8 " " " North 25 " "
80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
a S. Gum 9 in. dia. - bear N 89 W 15 lks. dist. of
a Maple 6 " " " N 49 E 13 " "
Land rather rolling, timber, Beech, Oak, Gum
Poplar &c., undergth. No good, poor farming
land.

East On Ran 9^m. between Sec. 28 & 33
40.00 Set temp^y. q^r. Sec. post
79.30 Intersected the N. of S. line 4 lks. N. of post
First $\frac{1}{4}$ mile rolling & muddling farming land
timber same, the last $\frac{1}{2}$ flat & poor farming land.

West On true line between Sec. 28 & 33
39.65 Set q^r. Sec. post at average dist. from which
an Elm 13 in. dia. - bear N 63 E 32 lks. dist. of
a Do. 13 " " " S 77 W 28 " " Comp
79.30 to Sec. Corner

North Between Sec. 28 & 29

S. N. R. & E. 2nd Mer. Indiana

ch. l. l. l.

19.50 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which
a Beech 11 in. dia. bears S 6 W 19 lks. dist. &
a W. Oak 18 " " " N 24 E 21 " "

67.03 a Beech 20 " "

80.00 Set post Cor. to Sec. 20, 21, 28, & 29, from which
a Hackberry 15 in. dia. bears N 81 W 30 lks. dist. &
a Sugar 8 " " " S 57 E 47 " "
Land rather rolling timber same middling farming
Land -

East On Random between Sec. 21 & 28

40.00 Set temp. q. Sec. post.

79.08 Intersected the N. & S. line 67 lks. N. of post.
first 1/2 mile land timber same last 1/2 mile flat
timber Beech, Oak, Gum, Hickory poor farming Land.

West Corrected between Sec. 21 & 28.

39.54 Set q. Sec. post at average dist. from which
a Beech 10 in. dia. bears N 66 E 21 lks. dist. &
a Do. 15 " " " S 79 W 47 " "

79.08 to Sec. Corner.

North Between Sec. 20 & 21

25.37 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which
a Beech 16 in. dia. bears N 64 E 15 lks. dist. &
a do. 14 " " " S 73 W 33 " "

59.57 a do. 13 " "

74.00 a Brook 10 lks. wide Course N.

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 7 in. dia. bears N 74 E 23 lks. dist. &
a do. 30 " " " S 83 W 19 " "
Land rolling, timber, Sugar, Beech, Poplar,
Ash &c. including Spruce, good farming land

T. N. R. & E. 2nd Mer. Indiana

57

Ch. P. L. H.

January 4th 1807

var. 6. 10' E.

East On Rand^m. between Sec^s. 16 & 21

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 110 l^{hs}. N. of post
Land level, timber Beech, Poplar, Gum,
Hickory &c. poor farming land

West On true line between Sec^s. 16 & 21

~~19.69 a Beech 10 in. diam.~~

40.00 Set q^r. Sec. post at average dist. from which
a Beech 14 in. diam. bear N 4 E 16 l^{hs}. dist. of
a do. 12 " " " S 2 E 40 " "

80.00 to Sec. Corner

North Between Sec^s. 16 & 17

19.69 a Beech 10 in. diam.

40.00 Set q^r. Sec. post, from which
a Beech 18 in. diam. bear S 29 E 16 l^{hs}. dist. of
a do 11 " " " West 17 " "

63.50 a Hickory 15 " "

80.00 Set post Cor. to Sec^s. 8, 9, 16 & 17, from which
a W. Oak 15 in. diam. bear N 10 E 14 l^{hs}. dist. of
a Beech 8 " " " N 10 W 15 " "

Land level timber Beech, Oak, Poplar,
Gum &c. some Spicebush &c. poor farming land

East On Rand^m. between Sec^s. 9 & 16, var. 5. 20' E.

40.00 Set temp^y. q^r. Sec. post

80.30 Intersected the N & S. line 5 l^{hs}. S. of post
Land timber &c. Same as on last mile

West On true line between Sec^s. 9 & 16

40.15 Set q^r. Sec. post at average dist. from which
a Beech 8 in. diam. bear N 5 W 7 l^{hs}. dist. of
a W. Oak 15 " " " S 7 W 19 " "

80.30 to Sec. Corner.

T. N. R & E. 2^d Mer. Indianach. 1st 1st

North Between Sec. 8 & 9

21.58 an. Elm 10 in. dia.

40.00 a Beech 18 " " Marked for. gr. Sec. Cor.

63.33 a Beech 12 " "

80.00 At post Cor. to Sec. 4, 5, 8 & 9, from which
a Poplar 18 in. dia. bear N 28° W 21 lns. dist. of
a Beech 11 " " " N 46° E 35 " "

Land level, timber same, (muddling farm) land

East On Rand. between Sec. 4 & 9

38.00 a Brook 15 lns. wide Course N.E.

40.00 At temp. gr. Sec. post

80.78 Intersected the N. & S. line 21 lns. S. of post
Land rolling timber Beech, Poplar, Sugar
Ash &c. the last 1/2 mile good farming land

West On true line between Sec. 4 & 9

40.39 At gr. Sec. post at average dist. from which
a Beech 4 in. dia. bear North 22 lns. dist. of
a Do. 9 " " " N 29° W 15 " "

80.78 to Sec. Corner.

North Between Sec. 4 & 5

14.00 a Creek 150 lns. wide Course N.W.

24.21 a Beech 5 in. dia.

25.00 a Bend in a Creek 15 lns. wide Course N.W.

40.00 At gr. Sec. post, from which

a Beech 14 in. dia. bear N 85° W 21 lns. dist. of

a Sugar 12 " " " S 58° E 28 " "

66.94 a Beech 20 " "

78.14 Intersected N. boundary 69 lns. N. of post

At post cor. to Sec. 4 & 5, from which

a Beech 12 in. dia. bear S 86° E 20 lns. dist. of

a Do. 11 " " " S 63° W 35 " "

Land broken, timber Beech, Sugar, Poplar,
Ash &c. muddingth Spruce, poor farming land

Ty. N. R. & E. 2^d. Mer. Indiana

59

ch. 2^d Mth

North Between Sec. 31 & 32. Jan. 5th 1877

27.05 a Beech 12 mi. dist.

40.00 Let q. Sec. post, from which

a W. Oak 36 mi. dist. bear South 58 lth. dist. of

a Beech 7 " " " N 33 E 11 " "

59.59 an Elm 20 " "

80.00 Let post Cor. to Sec. 29, 30, 31 & 32, from which

a Hickory 10 mi. dist. bear West 13 lth. dist. of

a Beech 27 " " " S 82 E 28 " "

Land rolling timber Beech, Poplar, Oak

Hick. &c. & undug^d. Dogwood, poor land

East On Land^m. between Sec. 29 & 32

40.00 Let temp. q. Sec. post

80.10 Intersected the N. & S. line 47 lth. S. of post.

The first 1/2 mile rolling - the last 1/2 mile level
timber same, poor farming land

West On true line Between Sec. 29 & 32

40.05 Let q. Sec. post at average dist. from which

a Beech 14 mi. dist. bear N 33 E 15 lth. dist. of

a Do. — " " " S 47 W 8 " "

80.10 to Sec. Corner.

West Between Sec. 30 & 31

24.27 a Beech 8 mi. dist.

40.00 Let q. Sec. post, from which

a Beech 24 mi. dist. bear S 87 E 42 lth. dist. of

a Do. 10 " " " N 88 W 21 " "

59.18 a Hickory 18 " "

72.28 Intersected N. boundary 200 lth. N. of post

Let post Cor. to Sec. 30 & 31, from which

a Beech 12 mi. dist. bear S 5 E 8 lth. dist. of

a Do. 10 " " " N 26 W 32 " "

Land rolling, timber, Beech, Poplar, Sugar

Oak &c. (Middle farming land)

St. R & E. 2nd Mer. Indiana

Ch. 2th

North Between Secs. 29 & 30

30.94 a W. Oak 13 m. dist.

40.00 Set q^r. Sec. post, from which

a W. Oak 18 m. dist. bear S 85° W 36 lth. dist. of

a do. 24 " " " S 66° E 15 " "

62.88 a Poplar 20 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which

a Hickory 7 m. dist. bear S 78° E 22 lth. dist. of

a Beech 12 " " " S 58° W 15 " "

Land some welling, timber same, middling
farming land.

East On Rand^m. between Secs. 20 & 29

40.00 Set temp^y. q^r. Sec. post

47.00 a Small brook Corner St.

80.19 Intersected the N & S. line 9 lth. S. of post

Land timber &c. same as last mile

West On true line between Secs. 20 & 29

40.09 1/2 Set q^r. Sec. post at average dist. from which

a Beech 10 m. dist. bear S 76° E 23 lth. dist. of

a W. Oak 36 " " " S 76° W 26 " "

80.19 to Sec. Corner. Jan^y. 6th. 1807

West Between Secs. 30 & 19

23.91 a B. Oak 13 m. dist.

40.00 Set q^r. Sec. post, from which

a Beech 11 m. dist. bear S 44° E 10 lth. dist. of

a Sugar 11 " " " S 27° E 29 " "

61.74 a Beech 12 " "

70.79 Intersected N. boundary 96 lth. N. of post

Set post Cor. to Secs. 19 & 30, from which

a W. Oak 24 m. dist. bear S 37° W 11 lth. dist. of

a Beech 9 " " " N 67° E 40 " "

Land timber &c. same as on last mile

Ty N R & E, 2nd Mer. Indiana 61

Ch. P. L. by

North Between Sec. 19 & 20

40.00 Let q. Sec. post, from which
a Beech 6 in. dia. beam, 12 W 14 Lh. dist. of
a do. 10 " " " N 37 W 17 " "

65.00 a Beech 12 " "

80.00 Let post Cor. to Sec. 17, 18, 19 & 20, from which
a Angar 24 in. dia. beam, 14 3 E 12 Lh. dist. of
an Elm 30 " " " N 65 E 27 " "
Land rolling, timber Beech, Oak, Poplar, &c.
undergth Spruce, Dogwood, Passapou, & green-
brier, hardly (muddling farming land)

West Between Sec. 18 & 19

22.27 a Beech 10 in. dia.

40.00 Let q. Sec. post, from which
a Beech 18 in. dia. beam, 12 E 33 Lh. dist. of
a do. 18 " " " N 33 E 15 " "

60.40 a Angar 12 " "

62.50 a Creek 40 Lh. wide Course S.

70.78 Intersected N. boundary 182 Lh. N. of post
Let post Cor. to Sec. 18 & 19, from which
a Beech 14 in. dia. beam, 16 E 20 Lh. dist. of
a do. 12 " " " N 38 W 40 " "
Land rolling, timber Beech, Poplar, Angar,
Ash &c. undergth Spruce, good 2nd rate land
good farming land

East On Rand^m, between Sec. 17 & 20

12.50 a Creek 20 Lh. wide Course N. N.

80.18 Intersected N. & S. line 18 Lh. S. of post
The first 1/2 mile rolling, timber same the last
1/2 level, timber Beech, Poplar, Gum, Ash &c.
undergth Spruce, green brier, &c. (muddling
farming land)

West On true line between Sec. 17 & 20

62

T. N. R & E. 2nd Mer. Indianach. 2nd Mer.

40.09 Let q^r. Sec. post at average dist. from which
 a Beech 8 in. dia^r. beam S 63° E 16 lth. dist. of
 a do. 12 " " " N 34° W 30 " "
 80.18 to Sec. Corner.

North Between Sec^s. 17 & 183.00 a Creek 30 lth. wide Course N. W.28.15 a Beech 8 in. dia^r.31.00 a Creek 20 lth. wide Course S. W.

40.00 Let q^r. Sec. post, from which
 a Beech 12 in. dia^r. beam S 46° W 15 lth. dist. of
 a W. Ash 20 " " " N 49° E 30 " "

63.13 a Beech 24 " "

80.00 Let post Cor. to Sec^s. 7, 8, 17 & 18, from which
 a Beech 7 in. dia^r. beam S 83° W 14 lth. dist. of
 a Hickory 12 " " " S 60° E 16 " "
 The first 1/2 mile rolling, timber Beech,
 Poplar, Sugar, Ash, Walnut &c. good farming
 land - last 1/2 flat & poor, timber Oak, Gum
 Maple &c.

East On Rand^m. between Sec^s. 8 & 1740.00 Let temp^y. q^r. Sec. post

80.69 intersected the N & S. line 41 lth. N. of post
 Land flat, timber Beech, Gum, Oak &c.
 Not much undergth. poor farming land

West On true line between Sec^s. 8 & 17

40.34 Let q^r. Sec. post at average dist. from which
 a Beech 16 in. dia^r. beam S 49° W 19 lth. dist. of
 a do. 18 " " " S 66° E 18 " "

80.69 to Sec. Corner. Jan^y. 7th 1807West Between Sec^s. 7 & 183.82 a Beech 8 in. dia^r.40.00 Let q^r. Sec. post, from which

63

Tyler R & Co. 2nd Mer. Indiana

ch. 2nd 1/4
 a Beech 18 mi. dist. from N 84 E 17 1/2 km. dist. of
 a do. 15 " " " N 50 W 36 " "
 61.06 a do. 18 " "
 71.45 intersected the N. boundary 350 km. N. of
 post. Let post Cor. to Sec. 7 & 18, from which
 a Beech 10 mi. dist. from N 81 E 10 km. dist. of
 a do. 10 " " " N 89 W 18 " "
 Sand timber &c. Same as last mile

North Between Sec. 7 & 8

20.95 a Beech 5 mi. dist.
 40.00 Let q^r. Sec. post, from which
 a Beech 5 mi. dist. from N 9 E 7 km. dist. of
 a do. 18 " " " N 19 W 23 " "
 58.70 a Beech 12 " "
 80.00 Let post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 15 mi. dist. from N 4 W 35 km. dist. of
 a do. 12 " " " N 13 W 32 " "
 Sand level, timber Beech &c. including ^{the} Spruce
 & green briar, (middling farming land)

West Between Sec. 6 & 7

26.32 a Beech 11 mi. dist.
 40.00 Let q^r. Sec. post, from which
 a Beech 14 mi. dist. from East 15 km. dist. of
 a do. 8 " " " N 76 W 7 " "
 48.26 intersected Boundary line, let post, from which
 a Beech 10 mi. dist. from N 43 W 5 km. dist. of
 a do. 12 " " " N 60 E 15 " "
 70.51 a Hickory 20 " "
 73.26 intersected N. boundary 315 km. N. of post
 Let post Cor. to Sec. 6 & 7, from which
 a Beech 12 mi. dist. from N 43 E 21 km. dist. of
 a do. 6 " " " N 71 W 15 " "
 Broken 2nd rate land, Beech, ash, sugar
 &c. including ^{the} Spruce &c.

64

T^y N. R & E. 2nd Mer. Indianach. 1stEast On Rand^m. between Sec. 5 & 840.00 Set temp^y. of Sec. post80.65 Intersected the N & S. line 46th. N. of post
The 1st. 1/2 mile flat & poor - the last 1/2 broken
timber Beech, Sugar, Ash, Poplar &c.
poor farming land

West On true line between Sec. 5 & 8

40.32 Set of Sec. post at average dist. from which
a Beech 24 in. dia. bean S 57° W 20th. dist. of
a do. 8 " " " S 86° E 12 " "

80.65 to Sec. Corner

North Between Sec. 5 & 6

33.23 Intersected boundary in a creek 150th.
wide Course N.W. (No bearing true taken
Continued by B. F. Morris40.00 Set of Sec. post, from which
a Sugar 12 in. dia. bean West 6th. dist. of
a Beech 24 " " " S 12° E 16 " "

57.90 a Beech 30 " "

75.90 Intersected the N. boundary 75th. E. of
post Set post, Cor. to Sec. 5 & 6, from which
a Beech 36 in. dia. bean West 25th. dist. of
a do. 5 " " " S 5° E 16 " "Ailly 3rd. rate land, timber Beech &cNovember 18th 1819Surveyed in Dec. 1806 & Jan^y. 1807 By
William Harris

Deputy Surveyor

The small fraction N.W. of Boundary line
Surveyed in 1819 By

Balthus F. Morris

Deputy Surveyor

I Certify that the foregoing transcript of
 field Notes of township N. 7th North, Range
 N. 8 E. 2nd Mer. Indiana, has been Comp.^d
 with the Original notes in this Office, and
 found to be Correct.

Surveyor General's Office
 Cincinnati, Sept. 23. 1842

William Johnston
 Sur. Genl.